Amendment to the Claims

Please amend claim 1 as indicated. Claims 2 to 31 remain unamended.

1. (Currently Amended) A communications network with controlled access to web resources comprising:

an intranet having a firewall and a web enabled resource;

a reverse proxy server for controlling access to said intranet coupled to said intranet via a communication link internal to the firewall and coupled to said a web browser enabled client via a communication link external to the firewall, said reverse proxy server having a database with [[a]] at least one capability database record associated with said web enabled resource, said record containing a unique identification number and a random number associated with the webenabled resource;

wherein access to said web enabled resource is granted to [[a]] <u>said</u> web browser enabled client in response to submission of a uniform resource identifier (URI) containing <u>an address of the reverse proxy server and</u> a character string produced by an encoding of said identification number <u>of the web enabled resource</u> and said random number <u>for the web enabled resource</u> to said reverse proxy server.

- 2. (original) The communication network of claim 1, wherein said web enabled resource comprises a printer
- 3. (original) The communications network of claim 1, wherein said web enabled resource comprises a hypertext markup language (HTML) document.
- 4. (original) The communications network of claim 1, wherein said web browser enabled client is coupled to said reverse proxy server by a wireless communication link.
- 5. (original) The communication network of claim 4, wherein said web browser enabled client is also coupled to said intranet by a wireless communications link.
- 6. (original) The communication network of claim 1, wherein said URI is submitted using hypertext transfer protocol (HTTP).
- 7. (original) The communications network of claim 1, wherein said URI is submitted using hypertext transfer protocol with secure socket layer (HTTPS).

- 8. (original) The communications network of claim 1, wherein said character string is encoded using six bits or less per character.
- 9. (original) The communications network of claim 8 wherein said character string is encoded using base 64 encoding.
- 10. (original) The communications network of claim 1, wherein said record further includes a start time designating the time at which access is enabled.
- 11. (original) The communications network of cliam 1, wherein said record further includes an end time designating the time at which access is disabled.
- 12. (original) The communication network of cliam1, wherein said web enabled resource is a CGI script.
- 13. (original) The communications network of claim 1, wherein said web enabled resource is contained in a secure container.
- 14. (original) A method for providing access to a resource on a communications network comprising:

associating an identification number and a random number with said resource; encoding said identification number and said random number into a first character string using a coding method;

receiving a request for access to said resource, said request including a uniform resource identifier (URI) having a scheme dependent part, said scheme dependent part further including a second character string with a length identical to the length of said first character string;

decoding said second character string into a first number and a second number using said coding method;

comparing said first number to said identification number;

comparing said second number to said random number; and,

granting access to said resource if said first number matches said identification number and said second number matches said random number.

- 15. (original) The method of claim 14, wherein said URI further includes a query.
- 16. (original) The method of claim 14, wherein said URI is received using hypertext transfer protocol. (HTTP).
 - 17. (original) The method of claim 14, wherein said URI is received using hypertext

transfer protocol with secure socket layer (HTTPS).

- 18. (original) The method of claim 14, wherein said record further includes a start time indicating the time at which said access is enabled.
- 19. (original) The method of claim 14, wherein said record further includes an end time indicating the time at which said access is disabled.
- 20. (original) The method of claim 14, wherein said record further includes a long for counting the number of accesses granted.
- 21. (original) The method of claim 20, wherein said record further includes a limit on the number of accesses.
 - 22. (original) A reverse proxy server for controlling access to a web enabled resource on a communication network comprising:
- a database record associating an identification number, a random number and a first character string with said resource, wherein said character string is the product of encoding said identification number and said random number;

a means for receiving a request for access to said resource, wherein said request includes a uniform resource identifier (URI) having a scheme dependent part, said scheme dependent part further including a second character string with a length identical to the length of said first character string;

a processor means for decoding said identification number and said random number into a first character string

a processor means for comparing said first number to said identification number; and

a processor means for comparing said second number to said random number.

- 23. (original) The reverse proxy server of claim 22, wherein said URI further includes a query.
- 24. (original) The reverse proxy server of claim 22, wherein said means for receiving a request uses hypertext transfer protocol.
- 25. (original) The reverse proxy server of claim 22, wherein said means for receiving a request uses hypertext transfer protocol with secure socket layer (HTTPS).
- 26. (original) The reverse proxy server of claim 22, wherein said record further includes a start time indicating the time at which said access is enabled.

- 27. (original) The reverse proxy server of claim 22, wherein said record further includes an end time indicating the time at which said access is disabled.
- 28. (original) The reverse proxy server of claim 22, wherein said record further includes a log for counting the number of accesses granted.
- 29. (original) The reverse proxy server of claim 28, wherein said record further includes a limit on the number of accesses.
- 30. (original) The reverse proxy server of claim 22, wherein said web enabled resource is a CGI Script.
 - 31. (original)The reverse proxy server of claim 22, wherein said web enabled resource is contained in a secure container.